

Failure Analysis and Maintenance Assessment of Differential Systems in Automobile Power Transmission

T. M. S. A. Hossain¹, M. T. F. RONY², M. M. HOSEN³, M. S. HOSSAIN⁴, M. A. HOSEN⁵

¹Department of Automobile Engineering (AE), World University of Bangladesh (WUB), Dhaka-1230, Bangladesh

^{2,3,4,5}Department of Mechanical Engineering (ME), World University of Bangladesh (WUB), Dhaka-1230, Bangladesh

ABSTRACT	ARTICLE DETAILS
The differential is one of the most critical components of an automobile power transmission system, responsible for transmitting torque from the driveshaft to the drive wheels while allowing them to rotate at different speeds during cornering. Due to continuous exposure to varying loads, shock impacts, inadequate lubrication, and harsh operating conditions, differential systems are susceptible to several failure modes that can significantly affect vehicle performance, safety, and maintenance costs. This study presents a comprehensive assessment of failure mechanisms in automobile differential systems and evaluates suitable maintenance strategies for improving reliability and service life. Common failures including gear tooth wear, pitting, scuffing, bearing failure, shaft fatigue, seal leakage, overheating, and lubricant degradation are analyzed using Failure Mode and Effects Analysis (FMEA). Maintenance approaches such as preventive, predictive, condition-based, and reliability-centered maintenance are compared to determine their effectiveness in reducing unexpected failures. The study concludes that regular lubricant monitoring, vibration analysis, thermal inspection, and scheduled maintenance significantly improve differential reliability while reducing downtime and maintenance expenditure. KEYWORDS: Differential system, Power transmission, Failure analysis, Maintenance assessment, FMEA, Reliability, Lubrication, Predictive maintenance	Published On: 5 August, 2026 Available on: https://ijmir.com

1. INTRODUCTION

The automobile power transmission system transfers engine power to the drive wheels through several mechanical components including the clutch, gearbox, propeller shaft, differential, axle shafts, and wheels [1-2]. Among these components, the differential plays a vital role in ensuring smooth vehicle operation by allowing the left and right wheels to rotate at different angular velocities while maintaining torque transmission [1-3]. Modern differential systems operate under severe mechanical and thermal loading conditions [2-4]. Continuous cyclic loading, poor lubrication, contamination, manufacturing defects, improper maintenance, and driver behavior contribute significantly to differential failures [4-5]. Failure of differential components often leads to excessive vibration, abnormal noise, loss of power transmission, increased fuel consumption, and, in severe cases, complete drivetrain failure [2-6]. The engine is the primary power-producing unit of an automobile and serves as the starting point of the power transmission system. It converts the chemical energy stored in fuel into mechanical energy through the process of internal combustion, and the generated mechanical power is transmitted to the transmission system, which ultimately drives the vehicle's wheels [1-2].

1.1 Automobile Power Transmission System

The engine generates mechanical power by converting the chemical energy of fuel through internal combustion and supplies this power to the transmission system [7-8]. The clutch connects and disconnects the engine from the gearbox, enabling smooth vehicle starting, gear shifting, and stopping, while regular maintenance minimizes wear and improves service life [8-9]. The gearbox provides different gear ratios to optimize engine performance, torque, and speed under varying driving conditions, with proper lubrication and inspection essential for reliable operation [7-8], [10].

The propeller shaft transmits rotational power from the gearbox to the differential and accommodates suspension movement, whereas the universal joint (U-joint) allows torque transmission between shafts operating at different angles. Regular lubrication, balancing, and inspection of these components help prevent vibration, fatigue, and driveline failures [7-8], [11-12].

The differential distributes engine torque to the drive wheels while allowing them to rotate at different speeds during cornering, thereby improving vehicle stability, steering, and tire life. Preventive maintenance, including lubrication, condition monitoring, and predictive diagnostics, enhances differential reliability and service life [7-8], [10], [13]. The axle shafts transfer torque from the differential to the wheels while withstanding torsional and bending loads, whereas the wheels convert transmitted torque into tractive force and support vehicle stability. Proper alignment, balancing, lubrication, and periodic inspection of these components are essential for efficient power transmission, vehicle safety, and overall driving performance [8-9], [11-12], [14].

1.2 The differential performs three primary functions

The differential is a vital component of the automobile power transmission system that performs three key functions: transmitting engine torque to the drive wheels, changing the direction of power transmission by 90°, and allowing the left and right wheels to rotate at different speeds during cornering [14-15].

First, the differential transfers engine torque from the propeller shaft to the axle shafts through the pinion gear, ring gear, differential carrier, and side gears, ensuring efficient power delivery under high torsional and cyclic loading conditions [14], [17]. Second, it redirects rotational motion by 90° using a hypoid or spiral bevel gear set, enabling efficient power transmission from the longitudinal propeller shaft to the transverse axle shafts in rear-wheel-drive vehicles [15], [20].

Finally, the differential allows the left and right drive wheels to rotate at different speeds during cornering. The spider gears and side gears automatically accommodate speed differences while continuously transmitting torque to both wheels. This mechanism minimizes tire wear, prevents wheel slip, reduces drivetrain stress, and improves vehicle stability, steering performance, traction, and overall driving safety [14-15], [18], [20].

1.3 Construction and Components of an Automobile Differential System

The differential system consists of several interconnected components, including the ring gear, pinion gear, spider gears, side gears, differential carrier, bearings, oil seals, differential housing, and axle shafts, all of which work together to transmit engine torque efficiently while allowing the drive wheels to rotate at different speeds during cornering [21-22].

The ring and pinion gears transfer power and change the direction of torque by 90°, while the spider and side gears enable differential action by accommodating differences in wheel speed during turning [21], [24-25]. The differential carrier supports the internal gear assembly, and bearings ensure smooth, low-friction operation by maintaining proper alignment of rotating components [22], [29], [35].

The oil seals prevent lubricant leakage and contamination, whereas the differential housing protects internal components and dissipates heat generated during operation [23], [30], [34]. Finally, the axle shafts transmit torque from the differential to the drive wheels while withstanding significant torsional and bending loads. Proper lubrication, alignment, condition monitoring, and periodic maintenance of all differential components are essential for ensuring reliable power transmission, minimizing wear, and extending the service life of the drivetrain [22], [26], [31], [37].

1.4 Construction and Components of an Automobile Differential System

The differential system is a vital component of the automobile power transmission system that transmits engine torque to the drive wheels while allowing them to rotate at different speeds during cornering. It consists of several precision-engineered components that work together to ensure smooth, efficient, and reliable power transmission [38-39].

The ring gear and pinion gear transfer torque from the propeller shaft and change the direction of power transmission by 90°, while the spider gears and side gears enable differential action by allowing the drive wheels to rotate at different speeds during turns without interrupting torque transmission [38-40].

The differential carrier supports the internal gears and transmits torque throughout the assembly, whereas tapered roller bearings maintain proper alignment and minimize friction for smooth operation [35], [36], [38]. Oil seals prevent lubricant leakage and protect the differential from contamination, while the differential housing encloses the assembly, provides structural support, stores lubricant, and dissipates heat generated during operation [33-34], [39]. Finally, the axle shafts transmit torque from the differential to the drive wheels while withstanding high torsional, bending, and fatigue loads. Proper lubrication, alignment, vibration monitoring, failure analysis, and reliability-centered maintenance are essential for minimizing wear, preventing failures, and extending the service life of the differential system and the entire drivetrain [38-40].

1.5 Working Principle of an Automobile Differential

The differential is a mechanical device that enables the transmission of engine torque to the drive wheels while allowing them to rotate at different speeds when required. It operates through a combination of ring gear, pinion gear, spider gears (planet gears), side gears (sun gears), and axle shafts. The working principle of the differential can be explained under two operating conditions: straight-line driving and cornering (turning).

During straight-line driving, both drive wheels travel the same distance and rotate at the same angular speed. The engine torque is transmitted through the propeller shaft, pinion gear, ring gear, and differential carrier to the axle shafts. Since both wheels experience nearly equal resistance, the spider gears do not rotate about their own axes and both side gears rotate at the same speed, ensuring

equal torque distribution to both wheels. This operating condition minimizes internal gear movement, reduces frictional losses, and decreases wear on differential components [38-39].

During cornering, the outer wheel travels a longer distance than the inner wheel and therefore rotates at a higher speed. The differential automatically compensates for this speed difference by allowing the spider gears to rotate about their own axes while revolving with the differential carrier. This action enables the side gears and axle shafts to rotate at different speeds while maintaining continuous torque transmission to both wheels. As a result, the differential prevents tire scrubbing, reduces drivetrain stress, improves steering performance, enhances vehicle stability and traction, and minimizes tire wear, ensuring smooth and efficient vehicle operation during turns [38-40].

2. METHODOLOGY

The automobile differential operates under heavy mechanical loads and continuous motion, making it susceptible to failures such as gear tooth wear, pitting, bearing damage, fatigue, and lubrication failure. These failures are primarily caused by overloading, misalignment, poor lubrication, material defects, contamination, and harsh operating conditions. Effective preventive measures including proper lubrication, regular inspection, correct gear alignment, oil replacement, and condition-based maintenance help improve differential reliability, reduce wear, and extend component service life. Modern condition monitoring and diagnostic techniques use key condition indicators such as vibration, noise, temperature, and lubricant contamination to detect early signs of deterioration. Combining these indicators enables accurate fault diagnosis, supports predictive maintenance, minimizes downtime, reduces maintenance costs, and enhances vehicle reliability and safety [38-40].

Reliability-Centered Maintenance (RCM) integrates reliability analysis, condition monitoring, and risk assessment to optimize maintenance strategies for differential systems. Recommended maintenance practices include using the manufacturer-recommended gear oil, maintaining proper lubricant levels, replacing damaged seals, avoiding vehicle overloading, monitoring vibration, checking gear backlash, ensuring correct gear alignment, and following scheduled maintenance intervals [39-40]. Future maintenance of automobile differentials is increasingly driven by Industry 4.0 technologies, including Artificial Intelligence (AI), Machine Learning (ML), the Internet of Things (IoT), Digital Twin technology, wireless vibration sensors, online lubricant monitoring, intelligent maintenance scheduling, and cloud-based fleet health monitoring. These advanced technologies enable real-time condition monitoring, accurate fault prediction, predictive maintenance, and improved operational reliability while reducing maintenance costs and vehicle downtime [27], [38-40].

CONCLUSION

Differential systems are indispensable components of automobile power transmission systems, and their reliability directly influences vehicle performance, safety, and operating costs. The most common failures gear wear, pitting, bearing fatigue, lubrication degradation, shaft fracture, and seal leakage primarily result from inadequate lubrication, excessive loading, contamination, and improper maintenance. A structured failure analysis using tools such as Failure Mode and Effects Analysis (FMEA) enables engineers to identify critical failure mechanisms and prioritize corrective actions. Integrating preventive, predictive, condition-based, and reliability-centered maintenance strategies, supported by vibration analysis, oil condition monitoring, and thermal inspection, can substantially reduce unexpected failures, extend component service life, and lower maintenance costs. Future developments in smart diagnostics, IoT-enabled monitoring, artificial intelligence, and digital twin technologies are expected to further improve the reliability and maintenance efficiency of automobile differential systems.

REFERENCES

- 1) H. Heisler, *Advanced Vehicle Technology*, 2nd ed. Oxford, U.K.: Butterworth-Heinemann, 2002.
- 2) Robert Bosch GmbH, *Bosch Automotive Handbook*, 10th ed. Stuttgart, Germany: Robert Bosch GmbH, 2018.
- 3) T. D. Gillespie, *Fundamentals of Vehicle Dynamics*. Warrendale, PA, USA: SAE International, 1992.
- 4) J. Erjavec, *Automotive Technology: A Systems Approach*, 7th ed. Boston, MA, USA: Cengage Learning, 2020.
- 5) H. Heisler, *Advanced Vehicle Technology*, 2nd ed. Oxford, U.K.: Butterworth-Heinemann, 2002.
- 6) T. M. S. A. Hossain, M. A. Matin, M. A. Hakim, and M. F. Islam. "Fabrication and Characterization of NiO-doped BaTiO₃ for Multilayer Ceramic Capacitor." In 2018 10th International Conference on Electrical and Computer Engineering (ICECE), pp. 77-80. IEEE, 2018.
- 7) W. H. Crouse and D. L. Anglin, *Automotive Mechanics*, 10th ed. New York, NY, USA: McGraw-Hill, 2004.
- 8) T. D. Gillespie, *Fundamentals of Vehicle Dynamics*. Warrendale, PA, USA: SAE International, 1992.
- 9) T. M. S. A. Hossain, M. Hasanuzzaman. (2026). Characterization of Nanostructure Sedimentary Clay Material of Netrokona District. *International Journal of Multidisciplinary and Innovative Research*, 3(5), 410-415.
- 10) J. Y. Wong, *Theory of Ground Vehicles*, 4th ed. Hoboken, NJ, USA: John Wiley & Sons, 2008.
- 11) Robert Bosch GmbH, *Bosch Automotive Handbook*, 10th ed. Stuttgart, Germany: Robert Bosch GmbH, 2018.
- 12) R. L. Norton, *Machine Design: An Integrated Approach*. Hoboken, NJ, USA: Pearson.

- 13) R. K. Mobley, *Maintenance Engineering Handbook*. New York, NY, USA: McGraw-Hill.
- 14) A. K. S. Jardine, D. Lin, and D. Banjevic, *Condition-Based Maintenance and Machine Diagnostics*, 2022.
- 15) T. M. S. A. Hossain, M. A. Matin, M. A. Hakim, and M. F. Islam. "Characterization of Available Sedimentary Clay of Hobiganj District." (2019).
- 16) Y. Kang, J. Li, J. Deng, et al., "Prediction of ultimate bearing capacity for EV differential housings using elastoplastic finite element analysis," *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, 2026. doi:10.1177/09544070261430136.
- 17) T. M. S. A. Hossain, and M. Hasanuzzaman. "Characterization and Beneficiation of Available Sedimentary Clay Collected from Netrokona District for Industrial Application." (2023).
- 18) T. Schneider, K. Voelkel, H. Pflaum, and K. Stahl, "Investigating Failure Modes and Performance Impacts of Wet Clutches in Automotive Limited Slip Differentials," *Lubricants*, vol. 12, no. 3, p. 70, 2024. doi:10.3390/lubricants12030070.
- 19) A. Guddeti and A. Nilangekar, "A Detailed Study on Differential Bearing Adjuster Ring Thread Engagement and Joint Strength under Combined Bending and Axial Loading," *SAE Technical Paper 2021-26-0370*, 2021. doi:10.4271/2021-26-0370.
- 20) T. M. S. A. Hossain. "Synthesis and structure-property characterization of BaTiO₃/xNiO nanocomposite ceramics." (2015).
- 21) R. Uttamani, V. Tendulkar, P. Navale, and R. Kumar, "Methodology to Derive RLD Based Durability Test Schedule for Gearbox Oil Seals," *SAE Technical Paper 2021-26-0461*, 2021.
- 22) W. Lafi, F. Djemal, A. Akrou, L. Walha, and M. Haddar, "Effects of the interval geometric deviation and crowning parameters on the automotive differential dynamics," *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 2021. doi:10.1177/14644193211039414.
- 23) G. Härkegård et al., "Fatigue assessment of a welded automotive differential under multiaxial and variable amplitude loading," *International Journal of Fatigue*, vol. 149, Art. no. 106292, 2021. doi: 10.1016/j.ijfatigue.2021.106292.
- 24) T. M. S. A. Hossain, and M. Hasanuzzaman. "CHARACTERIZATION OF HEAT-INSULATING CERAMIC FIBER RAW MATERIAL FOR INSULATION." *Chemical Engineering Research Bulletin* (2023).
- 25) X. Zou, J. Li, Q. Hu, et al., "Torsional Impact Fatigue Test Method for Electric Vehicle Differentials," *China Mechanical Engineering*, vol. 32, no. 11, pp. 1377-1385, 2021.
- 26) S. Elshourbagy, "Deep learning for gear defect diagnosis and wear prediction in automotive systems," *The International Journal of Advanced Manufacturing Technology*, 2026.
- 27) R. G. Budynas and J. K. Nisbett, *Shigley's Mechanical Engineering Design*, 11th ed. New York, NY, USA: McGraw-Hill, 2021.
- 28) T. M. S. A. Hossain, M. A. Emran, I. Hosen, and R. Mia. "Design and Implementation of An Intelligent Pneumatic Automation System with Integrated Industrial Safety and Monitoring Functions: A Review Paper." (2026).
- 29) R. L. Norton, *Machine Design: An Integrated Approach*, 7th ed. Hoboken, NJ, USA: Pearson, 2022.
- 30) R. K. Mobley, *Maintenance Engineering Handbook*, 9th ed. New York, NY, USA: McGraw-Hill, 2021.
- 31) T. M. S. A. Hossain, M. A. A. Islahi, M. H. Ali, D. Das, and M. I. Ali. "Preventive Maintenance and Lubrication Performance Analysis of Gas Generators Used in CNG Refueling Stations: A Comprehensive Review Paper." (2026).
- 32) A. K. S. Jardine and A. H. C. Tsang, *Maintenance, Replacement, and Reliability*. Boca Raton, FL, USA: CRC Press, 2022.
- 33) T. A. Harris and M. N. Kotzalas, *Rolling Bearing Analysis*, 6th ed. Boca Raton, FL, USA: CRC Press, 2021.
- 34) B. J. Hamrock, S. R. Schmid, and B. O. Jacobson, *Fundamentals of Fluid Film Lubrication*, 3rd ed. Boca Raton, FL, USA: CRC Press, 2021.
- 35) G. W. Stachowiak and A. W. Batchelor, *Engineering Tribology*, 5th ed. Amsterdam, Netherlands: Elsevier, 2022.
- 36) T. M. S. A. Hossain, M. Hasanuzzam. (2026). Characterization of Nanostructure Sedimentary Clay Material of Netrokona District. *International Journal of Multidisciplinary and Innovative Research*, 3(5), 410-415. <https://doi.org/10.58806/ijmir.2026.v3i5n09>
- 37) R. B. Randall, *Vibration-Based Condition Monitoring*. Hoboken, NJ, USA: Wiley, 2021.
- 38) H. P. Bloch and F. K. Geitner, *Machinery Failure Analysis and Troubleshooting*, 5th ed. Amsterdam, Netherlands: Elsevier, 2021.
- 39) J. Moubray, *Reliability-Centered Maintenance*, Updated ed. New York, NY, USA: Industrial Press, 2021.
- 40) T. M. S. A. Hossain, Chowdhury, M. A., Mithon, K. M. M. F., & Mahmud, I. (2026). Industrial Hazard Identification and Automated Safety Control Systems: A Comprehensive Review of Industry 4.0 Technologies, Artificial Intelligence, And Future Safety Paradigms. *International Journal of Multidisciplinary and Innovative Research*, 3(7), 619-625. <https://doi.org/10.58806/ijmir.2026.v3i7n12>